

INDEX

- Abel, Neils Henrik, (1802–1829), 194, 245, 248
- Abel, limit theorem, 245
- partial summation formula, 194
- test for convergence of series, 194, 248 (Ex. 9.13)
- Absolute convergence, of products, 208
- of series, 189
- Absolute value, 13, 18
- Absolutely continuous function, 139
- Accumulation point, 52, 62
- Additive function, 45 (Ex. 2.22)
- Additivity of Lebesgue measure, 291
- Adherent point, 52, 62
- Algebraic number, 45 (Ex. 2.15)
- Almost everywhere*, 172, 391
- Analytic function, 434
- Annulus, 438
- Approximation theorem of Weierstrass, 322
- Arc, 88, 435
- Archimedean property of real numbers, 10
- Arc length, 134
- Arcwise connected set, 88
- Area (content) of a plane region, 396
- Argand, Jean-Robert (1768–1822), 17
- Argument of complex number, 21
- Arithmetic mean, 205
- Arzelà, Cesare (1847–1912), 228, 273
- Arzelà's theorem, 228, 273
- Associative law, 2, 16
- Axioms for real numbers, 1, 2, 9
- Ball, in a metric space, 61
- in $\mathbb{R}^n$, 49
- Basis vectors, 49
- Bernoulli, James (1654–1705), 251, 338, 478
- Bernoulli, numbers, 251 (Ex. 9.38)
- periodic functions, 338 (Ex. 11.18)
- polynomials, 251 (Ex. 9.38), 478 (Ex. 16.40)
- Bernstein, Sergei Natanovic (1880–), 242
- Bernstein's theorem, 242
- Bessel, Friedrich Wilhelm (1784–1846), 309, 475
- Bessel function, 475 (Ex. 16.21)
- Bessel inequality, 309
- Beta function, 331
- Binary system, 225
- Binomial series, 244
- Bolzano, Bernard (1781–1848), 54, 85
- Bolzano's theorem, 85
- Bolzano-Weierstrass theorem, 54
- Bonnet, Ossian (1819–1892), 165
- Bonnet's theorem, 165
- Borel, Émile (1871–1938), 58
- Bound, greatest lower, 9
- least upper, 9
- lower, 8
- uniform, 221
- upper, 8
- Boundary, of a set, 64
- point, 64
- Bounded, away from zero, 130
- convergence, 227, 273
- function, 83
- set, 54, 63
- variation, 128
- Cantor, Georg (1845–1918), 8, 32, 56, 67, 180, 312
- Cantor intersection theorem, 56
- Cantor-Bendixon theorem, 67 (Ex. 3.25)
- Cantor set, 180 (Ex. 7.32)
- Cardinal number, 38
- Carleson, Lennart, 312
- Cartesian product, 33
- Casorati-Weierstrass theorem, 475 (Ex. 16.23)
- Cauchy, Augustin-Louis (1789–1857), 14, 73, 118, 177, 183, 207, 222
- Abel, Neils Henrik, (1802–1829), 194, 245, 248
- Abel, limit theorem, 245
- partial summation formula, 194
- test for convergence of series, 194, 248 (Ex. 9.13)
- Absolute convergence, of products, 208
- of series, 189
- Absolute value, 13, 18
- Absolutely continuous function, 139
- Accumulation point, 52, 62
- Additive function, 45 (Ex. 2.22)
- Additivity of Lebesgue measure, 291
- Adherent point, 52, 62
- Algebraic number, 45 (Ex. 2.15)
- Almost everywhere*, 172, 391
- Analytic function, 434
- Annulus, 438
- Approximation theorem of Weierstrass, 322
- Arc, 88, 435
- Archimedean property of real numbers, 10
- Arc length, 134
- Arcwise connected set, 88
- Area (content) of a plane region, 396
- Argand, Jean-Robert (1768–1822), 17
- Argument of complex number, 21
- Arithmetic mean, 205
- Arzelà, Cesare (1847–1912), 228, 273
- Arzelà's theorem, 228, 273
- Associative law, 2, 16
- Axioms for real numbers, 1, 2, 9
- Ball, in a metric space, 61
- in $\mathbb{R}^n$, 49
- Basis vectors, 49
- Bernoulli, James (1654–1705), 251, 338, 478
- Bernoulli, numbers, 251 (Ex. 9.38)
- periodic functions, 338 (Ex. 11.18)
- polynomials, 251 (Ex. 9.38), 478 (Ex. 16.40)

- Cauchy condition,
 - for products, 207
 - for sequences, 73, 183
 - for series, 186
 - for uniform convergence, 222, 223
- Cauchy, inequalities, 451
- integral formula, 443
- integral theorem, 439
- principal value, 277
- product, 204
- residue theorem, 460
- sequence, 73
- Cauchy-Riemann equations, 118
- Cauchy-Schwarz inequality, for inner products, 294
- for integrals, 177 (Ex. 7.16), 294
- for sums, 14, 27 (Ex. 1.23), 30 (Ex. 1.48)
- Cesàro, Ernesto (1859-1906), 205, 320
- Cesàro, sum, 205
- summability of Fourier series, 320
- Chain rule, complex functions, 117
- real functions, 107
- matrix form of, 353
- vector-valued functions, 114
- Change of variables, in a Lebesgue integral, 262
- in a multiple Lebesgue integral, 421
- in a Riemann integral, 164
- in a Riemann-Stieltjes integral, 144
- Characteristic function, 289
- Circuit, 435
- Closed, ball, 67 (Ex. 3.31)
- curve, 435
- interval, 4, 52
- mapping, 99 (Ex. 4.32)
- region, 90
- set, 53, 62
- Closure of a set, 53
- Commutative law, 2, 16
- Compact set, 59, 63
- Comparison test, 190
- Complement, 41
- Complete metric space, 74
- Complete orthonormal set, 336 (Ex. 11.6)
- Completeness axiom, 9
- Complex number, 15
- Complex plane, 17
- Component, interval, 51
- of a metric space, 87
- of a vector, 47
- Composite function, 37
- Condensation point, 67 (Ex. 3.23)
- Conditional convergent series, 189
- rearrangement of, 197
- Conformal mapping, 471
- Conjugate complex number, 28 (Ex. 1.29)
- Connected, metric space, 86
- set, 86
- Content, 396
- Continuity, 78
- uniform, 90
- Continuously differentiable function, 371
- Contour integral, 436
- Contraction, constant, 92
- fixed-point theorem, 92
- mapping, 92
- Convergence, absolute, 189
- bounded, 227
- conditional, 189
- in a metric space, 70
- mean, 232
- of a product, 207
- of a sequence, 183
- of a series, 185
- pointwise, 218
- uniform, 221
- Converse of a relation, 36
- Convex set, 66 (Ex. 3.14)
- Convolution integral, 328
- Convolution theorem, for Fourier transforms, 329
- for Laplace transforms, 342 (Ex. 11.36)
- Coordinate transformation, 417
- Countable additivity, 291
- Countable set, 39
- Covering of a set, 56
- Covering theorem, Heine-Borel, 58
- Lindelöf, 57
- Cramer's rule, 367
- Curve, closed, 435
- Jordan, 435
- piecewise-smooth, 435
- rectifiable, 134
- Daniell, P. J. (1889-1946), 252
- Darboux, Gaston (1842-1917), 152
- Decimals, 11, 12, 27 (Ex. 1.22)
- Dedekind, Richard (1831-1916), 8
- Deleted neighborhood, 457
- De Moivre, Ham (1667-1754), 29
- De Moivre's theorem, 29 (Ex. 1.44)
- Dense set, 68 (Ex. 3.32)
- Denumerable set, 39
- Derivative(s), of complex functions, 117
- partial, 115
- of real-valued functions, 104
- total, 347
- of vector-valued functions, 114
- Derived set, 54, 62
- Determinant, 367
- Difference of two sets, 41
- Differentiation, of integrals, 162, 167
- of sequences, 229
- of series, 230
- Dini, Ulisse (1845-1918), 248, 312, 319
- Dini's theorem, on Fourier series, 319
- on uniform convergence, 248 (Ex. 9.9)
- Directional derivative, 344
- Dirichlet, Peter Gustav Lejeune (1805-1859), 194, 205, 215, 230, 317, 464
- Dirichlet, integrals, 314
- kernel, 317
- product, 205
- series, 215 (Ex. 8.34)
- Dirichlet's test, for convergence of series, 194
- for uniform convergence of series, 230
- Disconnected set, 86
- Discontinuity, 93
- Discrete metric space, 61
- Disjoint sets, 41
- collection of, 42
- Disk, 49
- of convergence, 234
- Distance function (metric), 60
- Distributive law, 2, 16
- Divergent, product, 207
- sequence, 183
- series, 185
- Divisor, 4
- greatest common, 5
- Domain (open region), 90
- Domain of a function, 34
- Dominated convergence theorem, 270
- Dot product, 48
- Double, integral, 390, 407
- Double sequence, 199
- Double series, 200
- Du Bois-Reymond, Paul (1831-1889), 312
- Duplication formula for the Gamma function, 341 (Ex. 11.31)
- e, irrationality of, 7
- Element of a set, 32
- Empty set, 33
- Equivalence, of paths, 136
- relation, 43 (Ex. 2.2)
- Essential singularity, 458
- Euclidean, metric, 48, 61
- space $\mathbb{R}^n$, 47
- Euclid's lemma, 5
- Euler, Leonard (1707-1783), 149, 192, 209, 365
- Euler's constant, 192
- product for $\zeta(s)$, 209
- summation formula, 149
- theorem on homogeneous functions, 365
- (Ex. 12.18)
- Exponential form, of Fourier integral theorem, 325
- of Fourier series, 323
- Exponential function, 7, 19
- Extended complex plane, 25
- Extended real-number system, 14
- Extension of a function, 35
- Exterior (or outer region) of a Jordan curve, 447
- Extremum problems, 375
- Fatou, Pierre (1878-1929), 299
- Fatou's lemma, 299 (Ex. 10.8)
- Fejér, Leopold (1880-1959), 179, 312, 320
- Fejér's theorem, 179 (Ex. 7.23), 320
- Fekete, Michel, 178
- Field, of complex numbers, 116
- of real numbers, 2
- Finite set, 38
- Fischer, Ernst (1875-1954), 297, 311
- Fixed point, of a function, 92
- Fixed-point theorem, 92
- Fourier, Joseph (1758-1830), 306, 309, 312, 324, 326
- Fourier coefficient, 309
- Fourier integral theorem, 324
- Fourier series, 309
- Fourier transform, 326
- Fubini, Guido (1879-1943), 405, 410, 413
- Fubini's theorem, 410, 413
- Function, definition of, 34
- Fundamental theorem, of algebra, 15, 451, 475 (Ex. 16.15)
- of integral calculus, 162

- Gamma function, continuity of, 282
 - definition of, 277
 - derivative of, 284, 303 (Ex. 10.29)
 - duplication formula for, 341 (Ex. 11.31)
 - functional equation for, 278
 - series for, 304 (Ex. 10.31)
 - Gauss, Karl Friedrich (1777–1855), 17, 464
 - Gaussian sum, 464
 - Geometric series, 190, 195
 - Gibbs' phenomenon, 338 (Ex. 11.19)
 - Global property, 79
 - Goursat, Édouard (1858–1936), 434
 - Gradient, 348
 - Gram, Jørgen Pedersen (1850–1916), 335
 - Gram-Schmidt process, 335 (Ex. 11.3)
 - Greatest lower bound, 9
 - Hadamard, Jacques (1865–1963), 386
 - Hadamard determinant theorem, 386 (Ex. 13.16)
 - Half-open interval, 4
 - Hardy, Godfrey Harold (1877–1947), 30, 206, 217, 251, 312
 - Harmonic series, 186
 - Heine, Eduard (1821–1881), 58, 91, 312
 - Heine-Borel covering theorem, 58
 - Heine's theorem, 91
 - Hobson, Ernest William (1856–1933), 312, 415
 - Homomorphism, 84
 - Homogeneous function, 364 (Ex. 12.18)
 - Homotopic paths, 440
 - Hyperplane, 394
 - Identity theorem for analytic functions, 452
 - Image, 35
 - Imaginary part, 15
 - Imaginary unit, 18
 - Implicit-function theorem, 374
 - Improper Riemann integral, 276
 - Increasing function, 94, 150
 - Increasing sequence, of functions, 254
 - of numbers, 71, 185
 - Independent set of functions, 335 (Ex. 11.2)
 - Induction principle, 4
 - Inductive set, 4
 - Inequality, Bessel, 309
 - Cauchy-Schwarz, 14, 177 (Ex. 7.16), 294
 - Minkowski, 27 (Ex. 1.25)
 - triangle, 13, 294
- Infimum, 9
 - Infinite, derivative, 108
 - product, 206
 - series, 185
 - set, 38
 - Infinity, in $\mathbb{C}^*$, 24
 - in $\mathbb{R}^*$, 14
 - Inner Jordan content, 396
 - Inner product, 48, 294
 - Integers, 4
 - Integrable function, Lebesgue, 260, 407
 - Riemann, 141, 389
 - Integral, equation, 181
 - test, 191
 - transform, 326
 - Integrator by parts, 144, 278
 - Integrator, 142
 - Interior (or inner region) of a Jordan curve, 447
 - Interior, of a set, 49, 61
 - Interior point, 49, 61
 - Intermediate-value theorem, for continuous functions, 85
 - for derivatives, 112
 - Intersection of sets, 41
 - Interval, in $\mathbb{R}$, 4
 - in $\mathbb{R}^*$, 50, 52
 - Inverse function, 36
 - Inverse-function theorem, 372
 - Inverse image, 44 (Ex. 2.7), 81
 - Inversion formula, for Fourier transforms, 327
 - for Laplace transforms, 342 (Ex. 11.38), 468
 - Irrational numbers, 7
 - Isolated point, 53
 - Isolated singularity, 458
 - Isolated zero, 452
 - Isometry, 84
 - Iterated integral, 167, 287
 - Iterated limit, 199
 - Iterated series, 202
 - Jacobi, Carl Gustav Jacob (1804–1851), 351, 368
 - Jacobian, determinant, 368
 - matrix, 351
 - Jordan, Camille (1838–1922), 312, 319, 396, 435, 447
 - Jordan, arc, 435
 - content, 396
- Linear function, 345
 - Linear space, 48
 - of functions, 137 (Ex. 6.4)
 - Line segment in $\mathbb{R}^n$, 88
 - Linearly dependent set of functions, 122 (Ex. 5.9)
 - Liouville, Joseph (1809–1882), 451
 - Liouville's theorem, 451
 - Lipschitz, Rudolf (1831–1904), 121, 137, 312, 316
 - Lipschitz condition, 121 (Ex. 5.1), 137 (Ex. 6.2), 316
 - Littlewood, John Edensor (1885–), 312
 - Local extremum, 98 (Ex. 4.25)
 - Local property, 79
 - Localization theorem, 318
 - Logarithm, 23
 - Lower bound, 8
 - Lower integral, 152
 - Lower limit, 184
 - Mapping, 35
 - Matrix, 350
 - product, 351
 - Maximum and minimum, 83, 375
 - Maximum-modulus principle, 453, 454
 - Mean convergence, 232
 - Mean-Value Theorem for derivatives, of real-valued functions, 110
 - of vector-valued functions, 355
 - Mean-Value Theorem for integrals, multiple integrals, 401
 - Riemann integrals, 160, 165
 - Riemann-Stieltjes integrals, 160
 - Measurable function, 279, 407
 - Measurable set, 290, 408
 - Measure, of a set, 290, 408
 - zero, 169, 290, 391, 405
 - Mertens, Franz (1840–1927), 204
 - Mertens' theorem, 204
 - Metric, 60
 - Metric space, 60
 - Minimum-modulus principle, 454
 - Minkowski, Hermann (1864–1909), 27
 - Minkowski's inequality, 27 (Ex. 1.25)
 - Möbius, Augustus Ferdinand (1790–1868), 471
 - Möbius transformation, 471
 - Modulus of a complex number, 18
 - Monotonic function, 94
- curve, 435
 - curve theorem, 447
 - theorem on Fourier series, 319
 - Jordan-measurable set, 396
 - Jump, discontinuity, 93
 - of a function, 93
 - Kestelman, Hyman, 165, 182
 - Kronecker delta, δ_{ij} , 385 (Ex. 13.6)
 - L^2 -norm, 293, 295
 - Lagrange, Joseph Louis (1736–1813), 27, 30, 380
 - Lagrange, identity, 27 (Ex. 1.23), 30 (Ex. 1.48), 380
 - multipliers, 380
 - Landau, Edmund (1877–1938), 31
 - Laplace, Pierre Simon (1749–1827), 326, 342, 468
 - Laplace transform, 326, 342, 468
 - Laurent, Pierre Alphonse (1813–1854), 455
 - Laurent expansion, 455
 - Least upper bound, 9
 - Lebesgue, Henri (1875–1941), 141, 171, 260, 270, 273, 290, 292, 312, 391, 405
 - bounded convergence theorem, 273
 - criterion for Riemann integrability, 171, 391
 - dominated-convergence theorem, 270
 - integral of complex functions, 292
 - integral of real functions, 260, 407
 - measure, 290, 408
 - Legendre, Adrien-Marie (1752–1833), 336
 - Legendre polynomials, 336 (Ex. 11.7)
 - Leibniz, Gottfried Wilhelm (1646–1716), 121
 - Leibniz' formula, 121 (Ex. 5.6)
 - Length of a path, 134
 - Levi, Beppo (1875–1961), 265, 267, 268, 407
 - Levi monotone convergence theorem, for sequences, 267
 - for series, 268
 - for step functions, 265
 - Limit, inferior, 184
 - in a metric space, 71
 - superior, 184
 - Limit function, 218
 - Limit theorem of Abel, 245
 - Lindelöf, Ernst (1870–1946), 56
- Lindelöf covering theorem, 57
 - Linear function, 345
 - Linear space, 48
 - of functions, 137 (Ex. 6.4)
 - Line segment in $\mathbb{R}^n$, 88
 - Linearly dependent set of functions, 122 (Ex. 5.9)
 - Liouville, Joseph (1809–1882), 451
 - Liouville's theorem, 451
 - Lipschitz, Rudolf (1831–1904), 121, 137, 312, 316
 - Lipschitz condition, 121 (Ex. 5.1), 137 (Ex. 6.2), 316
 - Littlewood, John Edensor (1885–), 312
 - Local extremum, 98 (Ex. 4.25)
 - Local property, 79
 - Localization theorem, 318
 - Logarithm, 23
 - Lower bound, 8
 - Lower integral, 152
 - Lower limit, 184
 - Mapping, 35
 - Matrix, 350
 - product, 351
 - Maximum and minimum, 83, 375
 - Maximum-modulus principle, 453, 454
 - Mean convergence, 232
 - Mean-Value Theorem for derivatives, of real-valued functions, 110
 - of vector-valued functions, 355
 - Mean-Value Theorem for integrals, multiple integrals, 401
 - Riemann integrals, 160, 165
 - Riemann-Stieltjes integrals, 160
 - Measurable function, 279, 407
 - Measurable set, 290, 408
 - Measure, of a set, 290, 408
 - zero, 169, 290, 391, 405
 - Mertens, Franz (1840–1927), 204
 - Mertens' theorem, 204
 - Metric, 60
 - Metric space, 60
 - Minimum-modulus principle, 454
 - Minkowski, Hermann (1864–1909), 27
 - Minkowski's inequality, 27 (Ex. 1.25)
 - Möbius, Augustus Ferdinand (1790–1868), 471
 - Möbius transformation, 471
 - Modulus of a complex number, 18
 - Monotonic function, 94

- Monotonic sequence, 185
- Multiple integral, 389, 407
- Multiplicative function, 216 (Ex. 8.45)
- Neighborhood, 49
- of infinity, 15, 25
- Niven, Ivan M. (1915–), 180 (Ex. 7.33)
- n -measure, 408
- Nonempty set, 1
- Nonmeasurable function, 304 (Ex. 10.37)
- Nonmeasurable set, 304 (Ex. 10.36)
- Nonnegative, 3
- Norm, of a function, 102 (Ex. 4.66)
- of a partition, 141
- of a vector, 48
- O , o , oh notation, 192
- One-to-one function, 36
- Onto, 35
- Operator, 227
- Open, covering, 56, 63
- interval in $\mathbb{R}$, 4
- interval in $\mathbb{R}^n$, 50
- mapping, 370, 454
- mapping theorem, 371, 454
- set in a metric space, 62
- set in $\mathbb{R}^n$, 49
- Order, of pole, 458
- of zero, 452
- Ordered n -tuple, 47
- Ordered pair, 33
- Order-preserving function, 38
- Ordinate set, 403 (Ex. 14.11)
- Orientation of a circuit, 447
- Orthogonal system of functions, 306
- Orthonormal set of functions, 306
- Oscillation of a function, 98 (Ex. 4.24), 170
- Outer Jordan content, 396
- Parallelogram law, 17
- Parseval, Mark-Antoine (circa 1776–1836), 309, 474
- Parseval's formula, 309, 474 (Ex. 16.12)
- Partial derivative, 115
- of higher order, 116
- Partial sum, 185
- Partial summation formula, 194
- Partition of an interval, 128, 141
- Path, 88, 133, 435
- Peano, Giuseppe (1858–1932), 224
- Perfect set, 67 (Ex. 3.25)
- Periodic function, 224, 317
- π , irrationality of, 180 (Ex. 7.33)
- Piecewise-smooth path, 435
- Point, in a metric space, 60
- in $\mathbb{R}^n$, 47
- Pointwise convergence, 218
- Poisson, Siméon Denis (1781–1840), 332, 473
- Poisson, integral formula, 473 (Ex. 16.5)
- summation formula, 332
- Polar coordinates, 20, 418
- Polygonal curve, 89
- Polygonally connected set, 89
- Polynomial, 80
- in two variables, 462
- zeros of, 451, 475 (Ex. 16.15)
- Power series, 234
- Powers of complex numbers, 21, 23
- Prime number, 5
- Prime-number theorem, 175 (Ex. 7.10)
- Principal part, 456
- Projection, 394
- Quadratic form, 378
- Quadratic surface, 383
- Quotient, of complex numbers, 16
- of real numbers, 2
- Radius of convergence, 234
- Range of a function, 34
- Ratio test, 193
- Rational function, 81, 462
- Rational number, 6
- Real number, 1
- Real part, 15
- Rearrangement of series, 196
- Reciprocity law for Gauss sums, 464
- Rectifiable path, 134
- Reflexive relation, 43 (Ex. 2.2)
- Region, 89
- Relation, 34
- Removable discontinuity, 93
- Removable singularity, 458
- Residue, 459
- Residue theorem, 460
- Restriction of a function, 35
- Riemann, Georg Friedrich (1826–1866), 17, 142, 153, 192, 209, 312, 313, 318, 389, 475
- condition, 153
- integral, 142, 389
- localization theorem, 318
- sphere, 17
- theorem on singularities, 475 (Ex. 16.22)
- zeta function, 192, 209
- Riemann–Lebesgue lemma, 313
- Riesz, Frigyes (1880–1956), 252, 297, 305, 311
- Riesz–Fischer theorem, 297, 311
- Right-hand derivative, 108
- Right-hand limit, 93
- Rolle, Michel (1652–1719), 110
- Rolle's theorem, 110
- Root test, 193
- Roots of complex numbers, 22
- Rouché, Eugène (1832–1910), 475
- Rouché's theorem, 475 (Ex. 16.14)
- Saddle point, 377
- Scalar, 48
- Schmidt, Erhard (1876–1959), 335
- Schoenberg, Isaac J., (1903–), 224
- Schwarz, Hermann Amandus (1843–1921), 14, 27, 30, 122, 177, 294
- Schwarzian derivative, 122 (Ex. 5.7)
- Schwarz's lemma, 474 (Ex. 16.13)
- Second-derivative test for extrema, 378
- Second Mean-Value Theorem for Riemann integrals, 165
- Semimetric space, 295
- Separable metric space, 68 (Ex. 3.33)
- Sequence, definition of, 37
- Set algebra, 40
- Similar (equinumerous) sets, 38
- Simple curve, 435
- Simply connected region, 443
- Singularity, 458
- essential, 459
- pole, 458
- removable, 458
- Stieltjes integral, 249 (Ex. 9.17)
- Space-filling curve, 224
- Spherical coordinates, 419
- Square-integrable functions, 294
- Stationary point, 377
- Step function, 148, 406
- Stereographic projection, 17
- Stieltjes, Thomas Jan (1856–1894), 140
- Stieltjes integral, 140
- Stone, Marshall H. (1903–), 252
- Strictly increasing function, 94
- Subsequence, 38
- Subset, 1, 32
- Substitution theorem for power series, 238
- Sup norm, 102 (Ex. 4.66)
- Supremum, 9
- Symmetric quadratic form, 378
- Symmetric relation, 43 (Ex. 2.2)
- Tannery, Jules (1848–1910), 299
- Tannery's theorem, 299 (Ex. 10.7)
- Tauber, Alfred (1866–circa 1947), 246
- Tauberian theorem, 246, 251 (Ex. 9.37)
- Taylor, Brook (1685–1731), 113, 241, 361, 449
- Taylor's formula with remainder, 113
- for functions of several variables, 361
- Taylor's series, 241, 449
- Telescoping series, 186
- Theta function, 334
- Tonelli, Leonida (1885–1946), 415
- Tonelli–Hobson test, 415
- Topological, mapping, 84
- property, 84
- Topology, point set, 47
- Total variation, 129, 178 (Ex. 7.20)
- Transformation, 35, 417
- Transitive relation, 43 (Ex. 2.2)
- Triangle inequality, 13, 19, 48, 60, 294
- Trigonometric series, 312
- Two-valued function, 86
- Uncountable set, 39
- Uniform bound, 221
- Uniform continuity, 90
- Uniform convergence, of sequences, 221
- of series, 223
- Uniformly bounded sequence, 201
- Union of sets, 41
- Unique factorization theorem, 6
- Unit coordinate vectors, 49
- Upper bound, 8
- Upper half-plane, 463
- Upper function, 256, 406
- Upper integral, 152
- Upper limit, 184
- Vallée-Poussin, C. J. de la (1866–1962), 312
- Value of a function, 34

Variation, bounded, 128
 total, 129
 Vector, 47
 Vector-valued function, 77
 Volume, 388, 397

 Well-ordering principle, 25 (Ex. 1.6)
 Weierstrass, Karl (1815–1897), 8, 54, 223, 322, 475
 approximation theorem, 322
 M-test, 223
 Winding number, 445

 Wronski, J. M. H. (1778–1853), 122
 Wronskian, 122 (Ex. 5.9)

 Young, William Henry (1863–1942), 252, 312

 Zero measure, 169, 391, 405
 Zero of an analytic function, 452
 Zero vector, 48
 Zeta function, Euler product for, 209
 integral representation, 278
 series representation, 192